

## 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME: Conveyor Lube G&S  
 APPLICATION: LUBRICATION  
 SUPPLIER: Dry Lube Ltd  
 PO Box 28304  
 Edinburgh  
 ED9 8AA

## 2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS	R. PHRASES	CONCENTRATION	CLASSIFICATION
NONE		0.00 – 100.00	

## 3. HAZARDS IDENTIFICATION

MAIN HAZARDS: Not classified as hazardous  
 HEALTH EFFECTS – EYES: May cause slight transient irritation  
 HEALTH EFFECTS – SKIN: Repeated or prolonged contact may lead to dermatitis

## 4. FIRST-AID MEASURES

FIRST AID – EYES: Wash out eye with plenty of water. Obtain medical attention if soreness or redness persists.  
 FIRST AID – SKIN: Wash skin with soap and water. If oil has been injected under the skin, seek medical advice immediately.  
 FIRST AID – INGESTION: Do not induce vomiting. Obtain medical attention.

## 5. FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA: Use foam, dry chemical or carbon dioxide.  
 UNSUITABLE EXTINGUISHING MEDIA: Do not use water jet.  
 SPECIAL HAZARDS OF PRODUCT: This product may give rise to hazardous fumes in a fire.  
 PROTECTIVE EQUIPMENT FOR FIRE-FIGHTING: Wear self-contained breathing apparatus.

## 6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Material can create slippery conditions underfoot.  
 SPILLAGES: Transfer into suitable containers for recovery or disposal.

## 7. HANDLING AND STORAGE

HANDLING: Keep containers closed when not in use.  
 STORAGE: Storage temperature should be controlled to between 1 and 40°.

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING MEASURES: No specific measures necessary.  
 HAND PROTECTION: PVC Gloves.  
 EYE PROTECTION: No specific measures necessary.  
 BODY PROTECTION: Normal work wear.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE	Oil
COLOUR	Translucent White
ODOUR	Odourless
MELTING POINT (°C)	N/A
FLASH POINT (PMCC) (°C)	Exceed 150
SOLUBILITY IN WATER (KG/M <sup>3</sup> )	Insoluble
DENSITY (KG/M <sup>3</sup> )	0.87 (Measured as kg/litre)
AUTO-FLAMMABILITY (°C)	Above 200

THESE PROPERTIES DO NOT CONSTITUTE A SPECIFICATION

## 10. STABILITY AND REACTIVITY

STABILITY	Stable under normal temperature conditions.
CONDITIONS TO AVOID	No specific measures necessary.
MATERIALS TO AVOID	Strong oxidising agents.
HAZARDOUS DECOMPOSITION PRODUCTS	Combustion will generate: smoke, possibly thick and choking, resulting in zero visibility.

## 11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY	Low order of acute toxicity.
----------------	------------------------------

## 12. ECOLOGICAL INFORMATION

MOBILITY:	The product is insoluble in water. If released to water the product will float. The product is absorbed into soils or sediments.
PERSISTENCE/DEGRADABILITY:	The product is expected to be resistant to biodegradation.
BIO-ACCUMULATION:	Product is not expected to bio-accumulate.

## 13. DISPOSAL RECOMMENDATIONS

PRODUCT DISPOSAL:	Incineration or landfill. Dispose of in accordance with all applicable local and national regulations.
CONTAINER DISPOSAL:	No specific measures necessary.

## 14. TRANSPORT INFORMATION

UN CLASS:	Not classified.
ADR/RID – CLASS:	Not classified.
IMDG – CLASS:	Not classified.
IATA – CLASS:	Not classified.

## 15. REGULATORY INFORMATION

LABELLING INFORMATION:	No statutory label required.
R PHRASES:	NONE
S PHRASES:	NONE

**16. OTHER INFORMATION**

PRODUCT USE: For industrial use only. Lubricant.

EC LEGISLATION: EC Directive 91/155/EEC defining the laying down and detailed arrangements for the system of specific information relating to Dangerous Preparations Directive – 2001/58/EC.  
EC Directive 1999/45/EEC relating to the classification, packaging and labelling of dangerous preparations.

*To the best of our knowledge, the information contained herein is accurate. Although certain hazards may be described we cannot predict that these are the only hazards that may exist in a workplace. This MSDS, therefore, forms a component only of a risk assessment carried out by, or on behalf of, the user.*